

SAFETY DATA SHEET

Active STABILIZER PLUS 12% NBPT 2% DMPP

1-639-398-0485 3422 Millar Ave, Saskatoon, SK, S7K 5Y7, Canada activeagriscience.com

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION		
PRODUCT IDENTIFIER	Active STABILIZER PLUS 12% NBPT 2% DMPP	
PRODUCT USE	Liquid nitrogen stabilizer for urea fertilizers	
MANFACTURERS NAME	Active AgriScience Inc.	
STREET ADDRESS	3422 Millar Avenue	
CITY	Saskatoon	
POSTAL CODE	S7K 5Y7	
DATE	Oct 16 2025	
PROVINCE	Saskatchewan, Canada	
EMERGENCY TELEPHONE	+1 855-237-5573	
PREPARED BY	Active AgriScience Inc.	
USE RESTRICTIONS	For professional use only. Use only as labeled.	
DISTRIBUTORS NAME		
STREET ADDRESS		
CITY		
POSTAL CODE		
COUNTRY		
EMERGENCY TELEPHONE		



SAFETY DATA SHEET

Active STABILIZER PLUS 12% NBPT 2% DMPP



SECTION 2 – HAZARDS IDENTIFICATION GHS CLASSIFICATION		
OSHA Hazard Communication Standard (29 CFR 1910.1200)	Eye Damage / Irritation: Category 1 Skin Corrosion / Irritation: Category 2 Specific Target Organ Toxicity (STOT); Single exposure: Category 3 (respiratory irritation) Specific Target Organ Toxicity (STOT); Single exposure: Category 2 (kidneys) Reproductive toxicity: Category 1B	
DANGER	HAZARD STATEMENTS: CAUSES SERIOUS EYE DAMAGE. CAUSES SKIN IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. MAY DAMAGE FERTILITY OR THE UNBORN CHILD. PRECAUTIONARY STATEMENTS: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear chemical resistant gloves, coveralls, goggles and face protection. Change gloves frequently. In low ventilation or vapour conditions, wear a respirator with organic vapour/particulate filters or an N95 mask with goggles. Do not eat, drink or smoke when using this product. Wash up thoroughly before eating, drinking, smoking and leaving work. Keep livestock off treated areas until after 14 days or 2.5 cm of rainfall has accumulated. FIRST AID: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTRE / doctor. IF ON SKIN: Immediately take off all contaminated clothing. Rinse skin with water (or shower). Wash contaminated clothing before reuse. Seek immediate medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTRE / doctor. IF IN EYES: Immediately flush eyes with a gentle stream of water for 15 minutes while holding the upper and lower eyelids open. Remove contact lenses, if present and easy to do. Seek immediate medical attention. STORAGE: KEEP OUT OF REACH OF CHILDREN. Store locked up in a cool, dry, well ventilated area away from food or feed storage. DO NOT FREEZE. DISPOSAL: Dispose of this product and its container in accordance with Federal, Provincial, and Local regulations.	

12-20%

1-4%



AgriScience

Ethylene glycol

(DMPP)

3,4-Dimethylpyrazole Phosphate

SAFETY DATA SHEET

Active STABILIZER PLUS 12% NBPT 2% DMPP

1-639-398-0485 3422 Millar Ave, Saskatoon, SK, S7K 5Y7, Canada activeagriscience.com

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS		
INGREDIENTS	CAS#	CONCENTRATION
N-(n-Butyl)-thiophosphoric triamide	94317-64-3	8-16%
Propylene glycol	57-55-6	20-40%
N-methyl-2-pyrrolidone	872-50-4	15-30%

107-21-1

202842-98-6



AgriScience

SAFETY DATA SHEET

Active STABILIZER PLUS 12% NBPT 2% DMPP

SECTION 4 – FIRST AID MEASURES		
EYE CONTACT	Immediately flush eyes with a gentle stream of water for 15 minutes while holding the upper and lower eyelids open. Remove contact lenses, if present and easy to do. Seek immediate medical attention.	
SKIN CONTACT	Immediately take off all contaminated clothing. Rinse skin with water (or shower). Wash contaminated clothing before reuse. Seek immediate medical attention.	
INHALATION	Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTRE / doctor.	
INGESTION	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTRE/doctor.	
Most Important Symptoms, both acute & delayed	Causes serious eye damage. Causes skin irritation. May cause respiratory irritation. May damage fertility or the unborn child.	



AgriScience

SAFETY DATA SHEET

Active STABILIZER PLUS 12% NBPT 2% DMPP

SECTION 5 – FIRE FIGHTING MEASURES		
FLAMMABLE	Product will not burn or support combustion.	
MEANS OF EXTINCTION	Use extinguishing methods appropriate for the surrounding fire.	
FLASHPOINT & METHOD	NAP	
UPPER FLAMMABLE LIMIT	NAP	
LOWER FLAMMABILITY LIMIT	NAP	
AUTO IGNITION TEMPERATURE	NAP	
SENSITIVITY TO IMPACT	NAP	
SENSITIVITY TO STATIC DISCHARGE	NAP	
HAZARDOUS COMBUSTION PRODUCTS	Toxic irritating and/or corrosive gases may be released during a fire: carbon oxides, nitrogen oxides, sulphur oxides.	



Active STABILIZER PLUS 12% NBPT 2% DMPP

1-639-398-0485 3422 Millar Ave, Saskatoon, SK, S7K 5Y7, Canada activeagriscience.com

SECTION 6 – ACCIDENTAL RELEASE MEASURES	
LEAK & SPILL PROCEDURES	Wear personal protective equipment outlined in SECTION 8. Ventilate area of spill. Avoid breathing mists. Contain spill then adsorb with inert material and place into suitable clean containers for later disposal. Do not release into drains or the environment.

SECTION 7 – HANDLING AND STORAGE		
HANDLING Do not handle until all safety precautions have been read and understood. Do not breathe mist/spray. Do not get in eyes, or skin. Wear personal protective equipment outlined in SECTION 8. Wash hands and other exposed areas before eating, drinking, smoking and when leaving work.		
STORAGE	KEEP OUT OF REACH OF CHILDREN. Store locked up in a cool, dry, well ventilated area away from food or feed storage. DO NOT FREEZE.	

SECTION 8 – EXPOSURE CONTROL / PERSONAL PROTECTION		
EXPOSURE LIMITS	US Workplace Environmental Exposure Level Guides: N-methyl-2-pyrrolidone: TWA 40 mg/m³. Propylene Glycol: TWA 10 mg/m³ (aerosol). Ethylene Glycol: TWA 10 mg/m³	
ENGINEERING CONTROLS	Follow all label instructions. Follow manufacturers' instructions for cleaning / maintaining personal protective equipment.	
PERSONAL PROTECTIVE EQUIPMENT		
Skin	Wear chemical resistant gloves, coveralls and face protection when handling or applying this product. Change gloves frequently.	
Eyes	Wear chemical resistant goggles when handling or applying this product.	
Respirator	When handling in areas with limited ventilation or potential exposure to vapours or aerosols, wear a NIOSH-approved full-face respirator with organic vapour/particulate filters or an N95 respirator with chemical splash goggles. Use an air-supplied respirator only if airborne concentrations exceed recommended exposure limits or are unknown.	



SAFETY DATA SHEET

Active STABILIZER PLUS 12% NBPT 2% DMPP

A	\Box	T		V	E
Ag	Γİ	Sc	ie	Π	ce

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES	
PHYSICAL STATE	Liquid
COLOUR	Blue
BOILING POINT	NAV
EVAPORATION RATE	NAV
ODOUR	NAV
SOLUBILITY IN WATER	Miscible in water
APPEARANCE	Blue liquid
VISCOSITY	NAV
FREEZING POINT	NAV
SPECIFIC GRAVITY	1.05-1.1 g/cm ³
рН	6.2 – 7.0
ODOUR THRESHHOLD	NAV



AgriScience

SAFETY DATA SHEET

Active STABILIZER PLUS 12% NBPT 2% DMPP

SECTION 10 – STABILITY AND REACTIVITY	
CHEMICAL STABILITY	Stable under normal conditions of use and storage.
INCOMPATIBLE WITH OTHER SUBSTANCES	Acids, strong reducing agents, strong oxidizing agents.
HAZARDOUS DECOMPOSING PRODUCTS	Toxic irritating and/or corrosive gases may be released during a fire: carbon oxides, nitrogen oxides, sulphur oxides.

SECTION 11 – TOXICOLOGICAL INFORMATION		
ACUTE TOXICITY	Acute Oral: Does not meet criteria. Acute Dermal: Does not meet criteria.	
CHRONIC TOXICITY	Based on the available information, product does not meet criteria for chronic toxicity.	
EYE / SKIN IRRITATION	Causes serious eye damage and skin irritation.	
SENSITIZATION	Not available.	
CARCINOGENICITY	No component of this product present at levels ≥ 0.1% is identified as a probable, possible, or confirmed human carcinogen by IARC, or ACGIH.	
REPRODUCTIVE TOXICITY	May damage fertility or unborn child.	
MUTAGENICITY	Not available.	
Possible delayed effects	N-methyl-2-pyrrolidone: effects may be delayed. Animal studies show adverse effects to liver and kidneys.	



SAFETY DATA SHEET

Active STABILIZER PLUS 12% NBPT 2% DMPP

1-639-398-0485 3422 Millar Ave, Saskatoon, SK, S7K 5Y7, Canada activeagriscience.com

N-(n-butyl)-thiophosph	
	noric triamide
	Algea
Acute Toxicity	Crustacea
	Fish
Test	EC ₅₀
	EC ₅₀
	LC ₅₀
	LC ₅₀
	Selenastrum capricornutum
Species	Daphnia magna
	Daphnia
	Lepomis macrochirus
	280 mg/l, 96 hours
Tark Danille	290 mg/l, 48 hours
Test Results	350 mg/l, 48 hours
	1140 mg/l, 96 hours
N-methyl-2-pyrrolidon	e (CAS 872-50-4)
	Crustacea
A - 1 - T - 1-1	Algae
Acute Toxicity	Crustacea
	Fish
	LC ₅₀
Took	EC ₅₀
Test	EC ₅₀
	LC ₅₀
Species	Palaemonetes vulgaris
	Scenedesmus subspicatus
	Daphnia magna
	Oncorhynchus mykiss
	1107 mg/l, 96 hours
Took Doordto	> 500 mg/l, 72 hours
Test Results	> 1000 mg/l, 24 hours
	> 500 mg/l, 96 hours
Chronic Toxicity	Crustacea
Test	LC ₅₀
Species	Daphnia magna
Test Results	25 mg/l, 21 days
Propylene Glycol (CAS)	57-55-6)
	Crustacea
Acute Toxicity	



SAFETY DATA SHEET

3422 Millar Ave, Saskatoon, SK, S7K 5Y7, Canada activeagriscience.com Active STABILIZER PLUS 12% NBPT 2% DMPP

1-639-398-0485

Species	Ceriodaphnia
Test Results	18340 mg/l, 48 hours
Ethylene Glycol (CAS 107-21-	
, , ,	Fish
Acute Toxicity	Crustacea
,	Algae
	LC ₅₀
Test	EC ₅₀
	ErC ₅₀
	fish
Species	daphnia magna
	algae
	>72.860 mg/l, 96 hours
Test Results	>100 mg/l, 48 hours
	<13.000 mg/l, 96 hours
	aquatic invertebrates
Chronic Toxicity	aquatic invertebrates
	aquatic invertebrates
	LC ₅₀
Test	EC ₅₀
	NOEC
	aquatic invertebrates
Species	aquatic invertebrates
	aquatic invertebrates
	>1.500 mg/l, 28 days
Test Results	>15.000 mg/l, 21 days
	≥1.000 mg/l, 23 days
Persistence and	This product is not readily biodegradable.
Degradability	
Bioaccumulation potential	Not available.
Partition coefficient n-octano	ol / water (log Kow)
N-methyl-2-pyrrolidone	-0.54
(CAS 872-50-4)	
Propylene Glycol (CAS 57-	-0.92
55-6)	
Ethylene Glycol (CAS 107-	-1.36
21-1) Mobility in soil	Product is water soluble and may move through soil
MODIFICATION OF THE PROPERTY O	Product is water soluble and may move through soil.



SAFETY DATA SHEET

Active STABILIZER PLUS 12% NBPT 2% DMPP

1-639-398-0485 3422 Millar Ave, Saskatoon, SK, S7K 5Y7, Canada activeagriscience.com

AgriScience

SECTION 13 – DISPOSAL CONSIDERATIONS		
WASTE DISPOSAL	Dispose of this product and its container in accordance with Federal, Provincial, and Local regulations. Do not allow this product to enter drains or drinking water sources.	

SECTION 14 – TRANSPORT INFORMATION		
SHIPPING	TDG: Not a dangerous good for transport.	
	DOT: Not a dangerous good for transport.	
	IATA: Not regulated as dangerous goods.	
	IMDG: Not regulated as dangerous goods.	

SECTION 15 – REGULATORY INFORMATION

This SDS is prepared to comply with the Global Harmonized System of Chemical Classification and Labeling (GHS) and conforms to the requirements of HPR (WHMIS 2015) & OSHA Hazard Communication Standard (29 CFR 1910.1200).

SECTION 16 – OTHER INFORMATION

To the best of our knowledge, the information contained herein is current and correct as of the date of this SDS, however, the information and recommendations are presented without warranty, representation or license of any kind, with respect to their accuracy, or completeness, and the seller, supplier and manufacturer (Supplier) of this material or their affiliates, disclaim all liability for reliance on such information and recommendations.

Final determination of the suitability of any material is the sole responsibility of the buyer or the user (recipient). All materials may present unknown hazards and should be used with caution. The recipient assumes all risk in connection with the use of this material and assumes all responsibility for ensuring the material is used in a safe manner in compliance with applicable environmental, health and safety laws.

The supplier does not warrant the merchantability of this material or the fitness of the material for any particular use and assumes no responsibility for injury or damage caused directly or indirectly by the use of this material.